

Resin

Art.: 07.0075.9999

Bottle 1,2 ml

Resin is part of the Innotec Windshield Repair System. This is a very high-grade repair resin for laminated windshields. In addition to the special repair resin, the packaging contains a specially developed injector.



Base:	Methacrylate
Density:	1500 kg/m ³
Consistency:	Liquid
Viscosity:	70 mPa.s
Hardness:	65 (Shore D)
Temperature resistance:	-30°C to +120°C
UV resistance:	Good, does not yellow when hard.
Application conditions:	+10°C to +30°C. Not in sunlight.
Type of surface:	Glass
Surface preparation:	The surface must be clean, dry and free of grease. Clean the surface with Innotec Foam Glass Clean Plus .
Application method:	Adjust the injector (supplied) in the InnoQuip Fixer . Fill the injector with resin from the top or bottom. By rotating the injector in and then out, inject the resin and remove the air from the crack. See also the directions for use of the Innotec Windshield Repair System .
Drying time:	90 seconds in combination with the InnoQuip UV LED Lamp (with Battery) 2 minutes in combination with the InnoQuip UV LED Lamp 6 minutes in combination with the InnoQuip UV-Lamp
Cleaning of materials used:	With Innotec Multisol or Innotec Foam Glass Clean Plus
Cleaning of hands:	With Innotec Safe Hand Clean Plus and water
Shelf life:	9 months in original, unopened packaging
Storage conditions:	Store cool and dry. Store in the special UV-protective packaging.
Type of batchcode:	F
EAN Code:	5400563027424

This technical info sheet replaces all previous versions.





All information is supplied without obligation and based on our knowledge and experience with the product under normal conditions. In practice, the information supplied can in no way replace the tests that need to be performed before first use of the product. Only prior testing of the product can prove whether the product is indeed suitable for the intended application (or not). Thus, we cannot accept any responsibility in case our products are not used in compliance with the advices given.

If the product should not meet the quality requirements, we will only reimburse up to a maximum of the purchase price of the product. We accept no responsibility whatsoever and shall under no circumstances be liable for damage or consequential loss arising from the use of the product.

For information concerning safe use and storage, please refer to the safety data sheet of the product concerned.

