

## Quick Bond Activator

Art.: 01.0136.9999  
Aerosol can 150 ml

Quick Bond and Quick Bond Activator are unique products especially designed for the quick repair and gluing of metals and almost every type of modern synthetic.

Quick Bond Activator is an additive to accelerate the curing of Quick Bond.



Base:	Aliphatic hydrocarbon
Density:	599 kg/m <sup>3</sup>
Consistency:	Thin liquid
Viscosity:	± 25 mPa.s
Solvents:	Mixture of aliphatics
Flash point:	< 0°C
Application conditions:	+5°C to +35°C
Type of surface:	Just about all modern plastics and metals
Surface preparation:	The surface must be clean, dry and free of grease. Roughen up or sand the surface. Clean metal surfaces with Innotec <a href="#">Multisol</a> or Innotec <a href="#">Seal and Bond Remover</a> . Clean plastic surfaces with Innotec <a href="#">Repaplast Cleaner Antistatic</a> and pre-treat them with Innotec <a href="#">Repaplast Primer New Formula</a> .
Application method:	<u>When gluing:</u> Give one part a thin layer of <a href="#">Quick Bond</a> , spray the other part with a thin layer of Quick Bond Activator, and join the parts together. Allow a few minutes for Quick Bond to dry. <u>When repairing:</u> After 30 seconds, apply a thin layer of Quick Bond Activator over the element repaired with Quick Bond. It will take only a few seconds to harden.
Cleaning of materials used:	With Innotec <a href="#">Multisol</a>
Shelf life:	3 years in original, unopened packaging
Storage conditions:	Store cool and dry
Type of batchcode:	F
EAN Code:	5400563000137

This technical info sheet replaces all previous versions.

All information is supplied without obligation and based on our knowledge and experience with the product under normal conditions. In practice, the information supplied can in no way replace the tests that need to be performed before first use of the product. Only prior testing of the product can prove whether the product is indeed suitable for the intended application (or not). Thus, we cannot accept any responsibility in case our products are not used in compliance with the advices given.





If the product should not meet the quality requirements, we will only reimburse up to a maximum of the purchase price of the product. We accept no responsibility whatsoever and shall under no circumstances be liable for damage or consequential loss arising from the use of the product.

For information concerning safe use and storage, please refer to the safety data sheet of the product concerned.

