

TECHNICAL INFO

Trim Seal 15 m

Art.: 80.0421.0000 Roll 15 m

Trim Seal is a unique and original OEM rubber profile specially developed for glued car windscreens. The product is ideal for (re)placing windscreens during repair jobs if the original rubber is damaged when cutting out the windscreen. Trim Seal ensures a very professional finish.



Base:	EPDM rubber with high-quality modified acryl glue
Density:	± 600 kg/m³
Dimensions:	13,2 mm x 5,3 mm x 15 m
Hardness:	± 30 (Shore A)
Temperature resistance:	-30°C to +95°C
UV resistance:	Good
Water resistance:	Good
Application conditions:	+15°C to +30°C
Type of surface:	Most smooth surfaces such as glass, ceramic edges, etc.
Surface preparation:	The surface must be clean, dry and free of grease. Degrease the surface with Innotec Multisol or Innotec Seal and Bond Remover.
Application method:	From the roll. Remove the protective film and apply Trim Seal on the inside of the windscreen edge. Cut off Trim Seal on the desired length and glue the ends together using Innotec Fast-Glue 1.
Shelf life:	12 months in original, unopened packaging
Storage conditions:	Store cool and dry
EAN Code:	5400563031391

This technical info sheet replaces all previous versions.

All information is supplied without obligation and based on our knowledge and experience with the product under normal conditions. In practice, the information supplied can in no way replace the tests that need to be performed before first use of the product. only prior testing of the product can prove whether the product is indeed suitable for the intended application (or not). Thus, we cannot accept any responsibility in case our products are not used in compliance with the advices given.

If the product should not meet the quality requirements, we will only reimburse up to a maximum of the purchase price of the product. We accept no responsibility whatsoever and shall under no circumstances be liable for damage or consequential loss arising from the use of the product.

For information concerning safe use and storage, please refer to the safety data sheet of the product concerned.



