

TECHNICAL INFO

Inno-X 500 ml

Art.: 04.3185.9999

Aerosol can 500 ml

Inno-X is a high-quality cleaner and polish with unique protective properties. Inno-X is specially developed for stainless steel, chrome and aluminium surfaces in industrial applications.



Base:	Cleaner based on water with surface active ingredients und pharmaceutical paraffin oil
Density:	848 kg/m ³
Consistency:	Liquid
Viscosity:	± 500 mPa.s
Flash point:	< 0°C
Type of surface:	Most common plastics, stainless steel, chrome and metal
Surface preparation:	The surface must be clean, dry and free of dust.
Application method:	Shake can well before use. Apply an even, thin spray on the surface to be treated or spray it on a clean, dry Multi Wipe and apply. Rub off with a soft, clean, dry cloth.
Cleaning of materials used:	With Innotec Multisol
Cleaning of hands:	With Innotec Safe Hand Clean Plus and water
Shelf life:	2 years in original, unopened packaging
Storage conditions:	Store cool and dry
Type of batchcode:	F
Other details:	Never apply to surfaces that come in direct contact with foodstuffs.
EAN Code:	5400563024911

This technical info sheet replaces all previous versions.

All information is supplied without obligation and based on our knowledge and experience with the product under normal conditions. In practice, the information supplied can in no way replace the tests that need to be performed before first use of the product. Only prior testing of the product can prove whether the product is indeed suitable for the intended application (or not). Thus, we cannot accept any responsibility in case our products are not used in compliance with the advices given.

If the product should not meet the quality requirements, we will only reimburse up to a maximum of the purchase price of the product. We accept no responsibility whatsoever and shall under no circumstances be liable for damage or consequential loss arising from the use of the product.

For information concerning safe use and storage, please refer to the safety data sheet of the product concerned.

