

TECHNICAL INFO

Seal Fluid 500 ml

Art.: 80.0457.9999

500 ml

Seal Fluid is a fluid specially developed for washing in and smoothing out moisture curing sealants. Because of its mild formula Seal Fluid can be used on almost any surface.



| | |
|-------------------------|---|
| Base: | Mild, watery solution |
| Density: | $\pm 1000 \text{ kg/m}^3$ |
| Consistency: | Liquid |
| Viscosity: | $\pm 1 \text{ mPa.s}$ |
| pH: | 7,8 (almost neutral) |
| Application conditions: | Depending on the type of sealant used |
| Application method: | Apply directly to the sealant joint with an atomiser. Then smooth the sealant joint with a spatula. When using on natural stone rinse well to prevent discolouration. If the sealant will be sprayed or painted over, Seal Fluid must be rinsed off after the sealant has cured to guarantee good adhesion. |
| Cleaning of hands: | With Innotec Safe Hand Clean Plus and water |
| Shelf life: | 24 months in original, unopened packaging |
| Storage conditions: | Store cool, dry and frostfree |
| Type of batchcode: | F |
| EAN Code: | 5400563031520 |

This technical info sheet replaces all previous versions.

All information is supplied without obligation and based on our knowledge and experience with the product under normal conditions. In practice, the information supplied can in no way replace the tests that need to be performed before first use of the product. Only prior testing of the product can prove whether the product is indeed suitable for the intended application (or not). Thus, we cannot accept any responsibility in case our products are not used in compliance with the advices given.

If the product should not meet the quality requirements, we will only reimburse up to a maximum of the purchase price of the product. We accept no responsibility whatsoever and shall under no circumstances be liable for damage or consequential loss arising from the use of the product.

For information concerning safe use and storage, please refer to the safety data sheet of the product concerned.

